## WHAT IS CLAIMED IS:

- 1. A multi-partition computer system, comprising:
- a plurality of cell boards, with each cell board including at least one main processor; and
  - a service processor that is connected to each of the cell boards;
- wherein each partition includes at least one cell board, and the service processor manages operations of the partitions.
  - 2. The computer system of claim 1, wherein:

each partition is running an operating system that is independent of the other partitions.

3. The computer system of claim 1, wherein:

the service processor communicates with the cell boards via at least one USB format bus.

- 4. The computer system of claim 1, wherein: each cell board may be replaced while the computer system is on-line.
- 5. The computer system of claim 1, wherein: the service processor manages configuration of the partitions.
- 6. The computer system of claim 1, wherein:

the service processor maintains security for the computer system to limit access to authorized users.

- 7. The computer system of claim 1, wherein: the service processor can command the operations of the cell boards.
- 8. The computer system of claim 1, wherein: the service processor can command the operations of the partitions.
- 9. The computer system of claims 8, wherein: the service processor can reset a partition.
- 10. The computer system of claim 1, wherein:

the service processor monitors power requirements and determines whether a new component may be added to the system based upon the power required for the new component.

- 11. The computer system of claim 1, wherein: the service processor facilitates JTAG scan testing of the computer system.
- 12. The computer system of claim 1, wherein: the service processor monitors log events.
- 13. The computer system of claim 1, wherein: the service processor displays selected log events to a user.

- 14. The computer system of claim 1, wherein: the service processor monitors status of the cells.
- 15. The computer system of claim 1, wherein: the service processor displays the status of the cells to a user.
- 16. The computer system of claim 1, wherein: the service processor updates firmware resident in the cells.
- 17. The computer system of claim 1, wherein: the service processor monitors environmental condition of the cells.